OIPE

RAW SEQUENCE LISTING DATE: 10/11/2001 PATENT APPLICATION: US/09/837,992 TIME: 09:29:54

Input Set : A:\-60-2.app

Output Set: N:\CRF3\10112001\1837992.raw

```
3 <110> APPLICANT: Tian, Hui
         Schultz, Joshua
 5
         Shan, Bei
         Tularik Inc.
 8 <120> TITLE OF INVENTION: Sitosterolemia Susceptibility Gene (SSG): Compositions
         and Methods of Use
11 <130> FILE REFERENCE: 018781-006020US
13 <140> CURRENT APPLICATION NUMBER: US 09/837,992
14 <141> CURRENT FILING DATE: 2001-04-18
16 <150> PRIOR APPLICATION NUMBER: US 60/198,465
17 <151> PRIOR FILING DATE: 2000-04-18
19 <150> PRIOR APPLICATION NUMBER: US 60/204,234
20 <151> PRIOR FILING DATE: 2000-05-15
                                                          ENTERED
22 <160> NUMBER OF SEQ ID NOS: 45
24 <170> SOFTWARE: PatentIn Ver. 2.1
26 <210> SEQ ID NO: 1
27 <211> LENGTH: 652
28 <212> TYPE: PRT
29 <213> ORGANISM: Mus musculus
31 <220> FEATURE:
32 <223> OTHER INFORMATION: mouse sitosterolemia susceptibility gene (SSG)
         amino acid sequence
35 <400> SEQUENCE: 1
36 Met Gly Glu Leu Pro Phe Leu Ser Pro Glu Gly Ala Arg Gly Pro His
                                        10
39 Ile Asn Arg Gly Ser Leu Ser Ser Leu Glu Gln Gly Ser Val Thr Gly
                20
                                     25
42 Thr Glu Ala Arg His Ser Leu Gly Val Leu His Val Ser Tyr Ser Val
45 Ser Asn Arg Val Gly Pro Trp Trp Asn Ile Lys Ser Cys Gln Gln Lys
48 Trp Asp Arg Gln Ile Leu Lys Asp Val Ser Leu Tyr Ile Glu Ser Gly
                        70
51 Gln Ile Met Cys Ile Leu Gly Ser Ser Gly Ser Gly Lys Thr Thr Leu
54 Leu Asp Ala Ile Ser Gly Arg Leu Arg Arg Thr Gly Thr Leu Glu Gly
               100
                                   105
57 Glu Val Phe Val Asn Gly Cys Glu Leu Arg Arg Asp Gln Phe Gln Asp
           115
                               120
60 Cys Phe Ser Tyr Val Leu Gln Ser Asp Val Phe Leu Ser Ser Leu Thr
                           135
63 Val Arg Glu Thr Leu Arg Tyr Thr Ala Met Leu Ala Leu Cys Arg Ser
                                           155
66 Ser Ala Asp Phe Tyr Asn Lys Lys Val Glu Ala Val Met Thr Glu Leu
                   165
                                       170
69 Ser Leu Ser His Val Ala Asp Gln Met Ile Gly Ser Tyr Asn Phe Gly
70
```

185

Input Set : A:\-60-2.app

70	a1 '	т1.	0	G	01.	01	3	7	7	17- 1	Q	-1 -	71-	31-	0 3 -	T
	СТУ	116		ser	GIY	Glu	Arg		Arg	vaı	ser	TT6		Ата	GII	Leu
73	T	a 1	195	D	T	37 - J	34 - 4	200	T	3	a 1	B	205	ml	a 1	.
	Leu		Asp	Pro	Lys	Val		Met	Leu	Asp	GLU		Thr	Thr	GLY	Leu
76	_	210		m1.		_	215	-1		_	_	220		a 1	_	
	_	Cys	мет	Thr	Ата	Asn	GIn	тте	Val			Leu	Ala	GIu	Leu	
	225	_		_	- 1	230		1	-1		235	a 1	_	_	_	240
	Arg	Arg	Asp	Arg		Val	тте	vaı	Thr		HIS	Gin	Pro	Arg		GIu
82	_	-1	a 3	•	245		_	1		250	_	1	_	~1	255	_
	Leu	Pne	Gin		Phe	Asp	гàг	ITE		TTE	Leu	Thr	Tyr	_	GLu	Leu
85			_	260	_,	_			265	_		-1	-1	270	_	_
	vaı		_	GIY	Thr	Pro	GLu		Met	Leu	GLY	Phe		Asn	Asn	Cys
88			275	_	_	~ 3	1	280	_	_	- 1		285			_
	СТĀ		Pro	Cys	Pro	Glu		Ser	Asn	Pro	Phe		Phe	Tyr	Met	Asp
91	_	290	_		_	-1	295	-	_	~ 3	_	300	_,		_,	_
		Thr	ser	٧aı	Asp	Thr	GIn	Ser	Arg	Glu	_	GLu	ше	Glu	Thr	_
94		_				310		_	_ •		315		_	_		320
	Lys	Arg	Val	GIn		Leu	GLu	Cys	Ala		Lys	GIu	Ser	Asp		Tyr
97		_		_	325	_			_	330		_	_	_	335	_
	HlS	Lys	Пе			Asn	Пе	GLu	_		Arg	Tyr	Leu	_		Leu
100	_			340		_	1	_	345		_	~ 3		350		_
		Met) Phe	ь Lys	Thr			Pro	Pro	GLY			e GIY	Lys
103		a 2	355		.		_	360		_	-	-	365		_	-
				Leu	Leu	ı Arg	_		Thr	Arg	Asn			Arg	Asn	Lys
106		370		- 1.			375		a1	3		380		a 1-		- Dh -
			val	тте	мет	_		. vaı	GIN	ASI			мет	. GIY	Leu	Phe
	385		D1			390		. **- 1	a 1		395			.	a 1-	400
	ьeu	ııe	Pne	туг			Arg	val	GIN			Thr	ь	гга	_	Ala
112	T7 1	a 1	3	3	405			T	Т	410		17_ 1	01 -		415	
	vaı	GIII	ASP	420		. Сту	ьeu	Leu	425		ı ren	vaı	. СТУ			Pro
115	M	Пhr	C1.			7.7	7 T -	37-1			Dho	Dwo	Mot	430		. 71.
118		1111	435		. Leu	ASII	нта	440		пец	Phe	PIU	445		. Aly	Ala
		Cor			C1.	Cor	C1 n			. T 011	Птт	TI i o			Cln	Met
121	Val	450		GIII	GIU	ser	455		GIY	теп	тут	460		ırb	GIII	Mec
	T 011			Пла	. 375.1	Τ Ου			Lou	Droc	Dho			т1.	. או	Thr
	465		АТа	тут	Val	470		Val	ьeu	PIC	475		Val	116	нта	480
			Dho	Sar	Car			Ттт	Trn	Thr			Lou	Фил	Dro	Glu
127	val	116	FIIC	261	485		Cys.	тут	115	490		СТУ	пец	тут	495	
	Va 1	Λla	Ara	Dho			Dho	Sar	λla			Lou	7 l a	Dro		Leu
130	Val	ΑΙα	пта	500		тут	FIIC	261	505		пеп	nea	ALG	510		Leu
	т1 д	C137	G1u			Thr	Lou	Wa 1			Glv	Tla	Wal.			Pro
133	116	GIY	515		пеи	1111	neu	520		пеи	. Сту	116	525		ASII	PIO
	λan	τlα			Sar	. т1	17 a 1			Τ.Δ11	Sor	Tlo			Tau	Leu
136	UPII	530		Noll	Ser	116	535		ьeu	ьeu	Ser	540		дту	Leu	Leu
	Tle			G1 v	Dho	Tle			Tle	Gln	Glu			T10	Dro	Leu
	545	_	261	оту	Ļ 116	550	лту	กอแ	TTC	GII	555		FIO	116	FIU	560
			T.OII	G1 v	ጥህን		ጥኮኮ	Dhe	Gln	Larg			Cve	Glu	Tle	Leu
142	ביים	-10	Lcu	σ±y	565		- 11L		0111	570		Cys	Cys	JIU	575	
	Va 1	Va 1	Agn	Glu			G1 v	T.e.ii	Agn			Cvc	G1 v	G1 17		Asn
	4 CT T	, u I	******	u	1110	- 1 T	O T 3	LCu	11011	1 116		CYS	O + 3	O + Y	OCT	11011

Input Set : A:\-60-2.app

```
585
147 Thr Ser Met Leu Asn His Pro Met Cys Ala Ile Thr Gln Gly Val Gln
            595
                                 600
                                                     605
150 Phe Ile Glu Lys Thr Cys Pro Gly Ala Thr Ser Arg Phe Thr Ala Asn
151
                             615
                                                 620
153 Phe Leu Ile Leu Tyr Gly Phe Ile Pro Ala Leu Val Ile Leu Gly Ile
154 625
                         630
                                             635
156 Val Ile Phe Lys Val Arg Asp Tyr Leu Ile Ser Arg
157
160 <210> SEQ ID NO: 2
161 <211> LENGTH: 2258
162 <212> TYPE: DNA
163 <213> ORGANISM: Mus musculus
165 <220> FEATURE:
166 <223> OTHER INFORMATION: mouse sitosterolemia susceptibility gene (SSG)
168 <220> FEATURE:
169 <221> NAME/KEY: CDS
170 <222> LOCATION: (47)..(2005)
171 <223> OTHER INFORMATION: mouse sitosterolemia susceptibility gene (SSG)
          protein
172
174 <400> SEQUENCE: 2
175 gggacaggcc actagaaaat tcacttgcat ttgcttcctg ctagccatgg gtgagctgcc 60
176 ctttctgagt ccagagggag ccagagggcc tcacatcaac agagggtctc tgagctccct 120
177 ggagcaaggt teggteaegg geaeagagge teggeaeage ttaggtqtee tgeatqtqte 180
178 ctacagegte ageaacegtg tegggeettg gtggaacate aaateatgee ageagaagtg 240
179 ggacaggcaa atcctcaaag atgtctcctt gtacatcgag agtggccaga ttatgtgcat 300
180 cttaggcagc tcaggctcag ggaagaccac gctgctggac gccatctccg ggaggctgcg 360
181 gcgcactggg accctggaag gggaggtgtt tgtgaatggc tgcgagctgc gcagggacca 420
182 gttccaagac tgcttctcct acgtcctgca gagcgacgtt tttctgagca gcctcactgt 480
183 gegegagaeg ttgegataea eagegatget ggeeetetge egeageteeg eggaetteta 540
184 caacaagaag gtagaggcag tcatgacaga gctgagcctg agccacgtgg cggaccaaat 600
185 gattggcagc tataattttg ggggaatttc cagtggcgag cggcgccgag tttccatcgc 660
186 ageceaacte etteaggace ecaaggteat gatgetagat gagecaacea caggactgga 720
187 ctgcatgact gcaaatcaaa ttgtccttct cttggctgag ctggctcgca gggaccgaat 780
188 tgtgattgtc accatccacc agcctcgctc tgagctcttc caacacttcg acaaaattgc 840
189 catectgaet taeggagagt tggtgttetg tggeaeeeea gaggagatge ttggettett 900
190 caataactgt ggttacccct gtcctgaaca ttccaatccc tttgattttt acatggactt 960
191 gacatcagtg gacacccaaa gcagagagcg ggaaatagaa acgtacaagc gagtacagat 1020
192 getggaatgt geetteaagg aatetgaeat etateacaaa attetggaga acattgaaag 1080
193 agcacgatac ctgaaaacct tacccatggt tcctttcaaa acaaaagatc ctcctgggat 1140
194 gttcggcaag cttggtgtcc tgctgaggcg agtaacaaga aacttaatga ggaataagca 1200
195 ggcagtgatt atgcgtctcg ttcagaatct gatcatgggc ctcttcctca ttttctacct 1260
196 teteegegte cagaacaaca egetaaaggg egetgtgeag gaeegegtgg ggetgeteta 1320
197 tcagcttgtg ggtgccaccc catacaccgg catgctcaat gctgtgaatc tgtttcccat 1380
198 gctgagagcc gtcagcgacc aggagagtca ggatggcctg tatcataagt ggcagatgct 1440
199 getegectae gtgetaeaeg teeteeeett eagegteate geeaeggtea titteageag 1500
200 tgtgtgttat tggactetgg gettgtatee tgaagttgee agatttggat atttetetge 1560
201 tgctcttttg gcccctcact taattggaga atttctaaca cttgtgctgc ttggtatagt 1620
202 ccaaaaccct aatattgtca acagtatagt ggctctgctc agcatctctg ggctgcttat 1680
```

Input Set : A:\-60-2.app

203	tgg	atct	.gga	ttta	tcag	aa a	cata	caag	a aa	tgcc	catt	cct	ttaa	aaa	tcct	gggtta	1740
204	ttt	taca	ttc	caaa	aata	ct g	ttgt	gaga	t to	tcgt	ggtc	aat	gagt	ttt	acgg	cctgaa	1800
205	ctt	cact	.tgt	ggtg	gatc	ca a	cacc	tcta	t go	taaa	tcac	ccg	atgt	gcg	ccat	caccca	1860
206	agg	ggtc	cag	ttca	tcga	ga a	aacc	tgcc	c ag	gtgc	taca	tcc	agat	tca	cggc	aaactt	1920
207	cct	cato	tta	tatg	ggtt	ta t	ccca	gctc	t gg	tcat	ccta	gga	atag	tga	tttt	taaagt	1980
		cagggactac ctgattagca gatagttaag atgacaggca ggaaagggtt aatgggcagg cacgcccact gtggagcaca gagaagtact gtcttcaacc atcaggattc catctgcgac															
209	cac	gccc	act	gtgg	agca	ca g	agaa	gtac	t gt	cttc	aacc	atc	agga	ttc	catc	tgcgac	2100
210	cct	tgtg	tct	gacc	cttg	tg t	ctat	ccgg	a go	ccca	aggg	caa	cgag	aac	tcac	agccct	2160
												tgt	gact	gaa	ctgg	tccaat	
			ata			tc a	taaa	ccta	c ag	gaca	tt						2258
			EQ I														
216 <211> LENGTH: 651 217 <212> TYPE: PRT																	
218 <213> ORGANISM: Homo sapiens 220 <220> FEATURE:																	
					Орма	TTON	· hir	man	cito	ator	01 om	1 2 2		n+ih	4144	y gene	4000 V
222	\		mino					ilia II	SILO	ster	отеш	ıa S	usce	ЬСТВ	1116	y gene	(556)
	<40		EQUE			quem	CE										
						Ser	T.011	Thr	Pro	Glv	Glv	Sar	Mot	Glv	Leu	Gln	
226	1	0-1		Leu	5	DCI	Deu	1 111	110	10	OLY	DCI	Hec	GIY	15	GIII	
	Val	Asn	Arq	Glv	Ser	Gln	Ser	Ser	Leu		Glv	Ala	Pro	Ala	Thr	Δla	
229			,	20					25		0-1			30		111.0	
231	Pro	Glu	Pro	His	Ser	Leu	Gly	Ile			Ala	Ser	Tvr		Val	Ser	
232			35				-	40					45				
234	His	Arg	Val	Arg	Pro	Trp	Trp	Asp	Ile	Thr	Ser	Cys	Arg	Gln	Gln	Trp	
235		50					55					60	_			-	
	Thr	Arg	Gln	Ile	Leu	Lys	Asp	Val	Ser	Leu	Tyr	Val	Glu	Ser	Gly	Gln	
238	65					70					75					80	
	Ile	Met	Cys	Ile		Gly	Ser	Ser	Gly	Ser	Gly	Lys	Thr	Thr	Leu	Leu	
241		_			85					90					95		
	Asp	Ala	Met		Gly	Arg	Leu	Gly		Ala	Gly	Thr	Phe		Gly	Glu	
244	*** 1		TT 7	100	~ 1	_	- 1	_	105	_				110			
246	vaı	Tyr		Asn	GTA	Arg	Ala		Arg	Arg	GLu	GIn		Gln	Asp	Cys	
	Dho	Com	115	1707	т о	~1 _~	C	120	mh	T	T	a	125	-	-1		
250	Pne	130	TÄT	Val	ьeu	GIII	135	ASP	Thr	Leu	Leu		ser	Leu	Thr	val	
	Δrσ		Thr	Lan	Uic	Птет		λla	LOU	Lou	א 1 ה	140	7 ~~	7 ~~	Gly	7	
253		OIU	1111	пец	1112	150	T 111T	Ата	Leu	neu	155	116	AIG	AIG	СТУ	160	
		Glv	Ser	Phe	Gln		T.v.c	Va l	Glu	Δla		Mot	Δla	Glu	Leu		
256		011	001		165		27.5	, 41	Olu	170	val	1100	пти	GIU	175	261	
	Leu	Ser	His				Ara	Leu	Tle		Asn	Tvr	Ser	T.011	Gly	Glv	
259				180		E	5		185	0 ±1		-1-	OCI	190	OLY	GII	
	Ile	Ser	Thr		Glu	Arq	Arq	Arq		Ser	Ile	Ala	Ala		Leu	Leu	
262			195	-		,		200					205				
264	Gln	Asp		Lys	Val	Met	Leu		Asp	Glu	Pro	Thr		Gly	Leu	Asp	
265		210					215		-			220		-		-	
267	Cys	Met	Thr	Ala	Asn	Gln	Ile	Val	Val	Leu	Leu		Glu	Leu	Ala	Arg	
268	225					230					235					240	
270	Arg	Asn	Arg	Ile	Val	Val	Leu	Thr	Ile	His	Gln	Pro	Arg	Ser	Glu	Leu	

Input Set : A:\-60-2.app

271					245					250					255	;
273	Phe	Glr	Let	ı Phe	Asp	Lys	Ile	Ala	Ile	e Leu	ı Ser	Phe	Gly	glu	ı Leu	Ile
274	ļ			260)				265				•	270		
276	Phe	Cys	Gly	Thr	Pro	Ala	Glu	Met	Leu	ı Asp	Phe	Phe	Asn	Asp	Cvs	Gly
277	,		275	5				280)	-			285		-1-	1
279	Tyr	Pro	Cys	Pro	Glu	His	Ser	Asn	Pro	Phe	Asp	Phe	Tvr	Met	Asp	Leu
280)	290					295					300			p	Lou
282	Thr	Ser	Val	. Asp	Thr	Gln	Ser	Tivs	Glu	Ara	r Glu			Thr	. Cor	Lys
283	305			-		310		-1-		9	315		, Ou		501	320
285	Ara	Val	Gln	Met	Tle			Δla	Tur	Lvc			ב ו ג	т1.	CTTO	His
286					325	014		1114		330	, шуз	261	Ата	116	335	
		Thr	Len						Mot			LOU	T 170	mh -		Pro
289	-4-		200	340	11011	110	OLU	nry	345		птэ	Leu	пуз			PIO
		Va l	Pro			Thr	Luc	λαη			C1**	170.1	nh -	350		Leu
292	1100	, 41	355	1110	цуз	1111	цуз	360		PIO	GTA	Val			ьys	ьeu
		Val	_		λra	λrα	17 - 1			7	T	17- 1	365		_	_
295	OLY	370	пец	пец	AIG	нту		1111	Arg	ASII	ьeu		Arg	Asn	ьуs	Leu
				mh	3	T	375	~ 1	_	_		380				
200	385	vaı	тте	1111	Arg	Leu	ьeu	GIN	Asn	Leu		Met	Gly	Leu	Phe	Leu
		Dh.	Dh -	**- 1		390		_	_		395					400
300	ьeu	Pne	Pne	Val	Leu	Arg	Val	Arg	Ser			Leu	Lys	Gly	Ala	Ile
301		_	_		405					410					415	
303	GIn	Asp	Arg	Val	GLy	Leu	Leu	Tyr		Phe	Val	Gly	Ala	Thr	Pro	Tyr
304		~ 3		420					425					430		
306	Thr	GLY	Met	Leu	Asn	Ala	Val		Leu	Phe	Pro	Val	Leu	Arg	Ala	Val
307			435					440					445			
309	Ser	Asp	Gln	Glu	Ser	Gln		Gly	Leu	Tyr	${\tt Gln}$	Lys	Trp	Gln	Met	Met
310		450					455					460				
312	Leu	Ala	\mathtt{Tyr}	Ala	Leu	His	Val	Leu	Pro	Phe	Ser	Val	Val	Ala	Thr	Met
	465					470					475					480
315	Ile	Phe	Ser	Ser	Val	Cys	Tyr	Trp	Thr	Leu	Gly	Leu	His	Pro	Glu	Vàl
316					485					490					495	
318	Ala	Arg	Phe	Gly	\mathtt{Tyr}	Phe	Ser	Ala	Ala	Leu	Leu	Ala	Pro	His	Leu	Ile
319				500					505					510		
321	Gly	Glu	Phe	Leu	Thr	Leu	Val	Leu	Leu	Gly	Ile	Val	Gln	Asn	Pro	Asn
322			515					520					525			
324	Ile	Val	Asn	Ser	Val	Val	Ala	Leu	Leu	Ser	Ile	Ala	Gly	Val	Leu	Val
325		530					535					540	_			
327	Gly	Ser	Gly	Phe	Leu	Arg	Asn	Ile	Gln	Glu	Met	Pro	Ile	Pro	Phe	Lvs
328	545					550					555					560
330	Ile	Ile	Ser	Tyr	Phe	Thr	Phe	Gln	Lys	Tvr	Cvs	Ser	Glu	Tle	Leu	Val
331				-	565				•	570	-1-				575	
333	Val	Asn	Glu	Phe	Tyr	Glv	Leu	Asn	Phe	Thr	Cvs	Glv	Ser	Ser		Va l
334				580	-	-			585		-1-	1		590	11011	, u.z.
336	Ser	Val	Thr	Thr	Asn	Pro	Met	Cvs		Phe	Thr	Gln	Glv	Tla	Gln	Dho
337			595					600				0111	605	110	GIII	rne
	Ile	Glu		Thr	Cys	Pro	Glv		Thr	Ser	Ara	Ph≏		Mo+	Δen	Dha
340		610	-				615			J U.L		620	T11T	ما ب₃ء	11011	1 11C
	Leu		Leu	Tyr	Ser	Phe		Pro	Ala	Len	Va 1	Tla	T.e.u	G1 v	Tla	17a 1
343	625	-				630		0	u	Lou	635		Jeu	дту	TIE	640
											000					040

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/837,992

DATE: 10/11/2001 TIME: 09:29:55

Input Set : A:\-60-2.app